

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

Albemarle Corporation

AUTHORIZING THE OPERATION OF

Albemarle Corporation Bayport Plant
Industrial Inorganic Chemicals

LOCATED AT

Harris County, Texas

Latitude 29° 38' 32" Longitude 095° 03' 54"

Regulated Entity Number: RN100211523

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: 01559 Issuance Date: _____

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
Additional Monitoring Requirements	7
New Source Review Authorization Requirements	7
Compliance Requirements.....	9
Permit Location.....	10
Permit Shield (30 TAC § 122.148)	10
Attachments	12
Applicable Requirements Summary	13
Additional Monitoring Requirements	44
Permit Shield.....	55
New Source Review Authorization References.....	62
Appendix A	70
Acronym List	71
Appendix B	72

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
- D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
- E. Emission units subject to 40 CFR Part 63, Subparts ZZZZ and VVVVVV as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090 and § 113.1945 respectively which incorporate the 40 CFR Part 63 Subpart by reference.
- F. For the purpose of generating emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 1 (Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 101.302 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.303 (relating to Emission Reduction Credit Generation Certification)
 - (iii) Title 30 TAC § 101.304 (relating to Mobile Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)
 - (v) Title 30 TAC § 101.309 (relating to Emission Credit Banking and Trading)
 - (vi) The terms and conditions by which the emission limits are established to generate the reduction credit are applicable requirements of this permit
- G. The permit holder shall comply with the following 30 TAC Chapter 101, Subchapter H, Division 3 (Mass Emission Cap and Trade Program) Requirements:
 - (i) Title 30 TAC § 101.352 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.353 (relating to Allocation of Allowances)
 - (iii) Title 30 TAC § 101.354 (relating to Allowance Deductions)

- (iv) Title 30 TAC § 101.356 (relating to Allowance Banking and Trading)
 - (v) Title 30 TAC § 101.358 (relating to Emission Monitoring and Compliance Demonstration)
 - (vi) Title 30 TAC § 101.359 (relating to Reporting)
 - (vii) Title 30 TAC § 101.360 (relating to Level of Activity Certification)
 - (viii) The terms and conditions by which the emission limits are established to meet or exceed the cap are applicable requirements of this permit
- H. For the purpose of generating discrete emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 4 (Discrete Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 101.372 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.373 (relating to Discrete Emission Reduction Credit Generation and Certification)
 - (iii) Title 30 TAC § 101.374 (relating to Mobile Discrete Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)
 - (v) Title 30 TAC § 101.378 (relating to Discrete Emission Credit Banking and Trading)
 - (vi) The terms and conditions by which the emission limits are established to generate the discrete reduction credit are applicable requirements of this permit
- 2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ

- D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
 - (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.

(3) Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of air emission sources or enclosed facilities operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity

monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.

- C. For emission units with contributions from uncombined water, the permit holder shall comply with the requirements of 30 TAC § 111.111(b).
4. Permit holder shall comply with the following 30 TAC Chapter 115, Subchapter C requirements:
- A. When filling stationary gasoline storage vessels (Stage I) for motor vehicle fuel dispensing facilities, constructed prior to November 15, 1992, with transfers to stationary storage tanks located at a facility which has dispensed no more than 10,000 gallons of gasoline in any calendar month after January 1, 1991, the permit holder shall comply with the following requirements specified in 30 TAC Chapter 115, Subchapter C:
 - (i) Title 30 TAC § 115.222(7) (relating to Control Requirements)
 - (ii) Title 30 TAC § 115.222(3), as it applies to liquid gasoline leaks
 - (iii) Title 30 TAC § 115.224(1) (relating to Inspection Requirements), as it applies to liquid gasoline leaks
 - (iv) Title 30 TAC § 115.226(2)(B) (relating to Recordkeeping Requirements)
5. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
- A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)

6. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
7. For each gasoline dispensing facility, with a throughput of less than 10,000 gallons per month as specified in 40 CFR Part 63, Subpart CCCCCC, the permit holder shall comply with the following requirements (Title 30 TAC, Subchapter C, § 113.1380 incorporated by reference):
 - A. Title 40 CFR § 63.11111(e), for records of monthly throughput
 - B. Title 40 CFR § 63.11111(i), for compliance due to increase of throughput
 - C. Title 40 CFR § 63.11113(c), for compliance due to increase of throughput
 - D. Title 40 CFR § 63.11115(a), for operation of the source
 - E. Title 40 CFR § 63.11116(a) and (a)(1) - (4), for work practices
 - F. Title 40 CFR § 63.11116(b), for records availability
 - G. Title 40 CFR § 63.11116(d), for portable gasoline containers

Additional Monitoring Requirements

8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached “Periodic Monitoring Summary” upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “Periodic Monitoring Summary,” for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under

30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:

- A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.
- A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.
 - B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
12. The permit holder shall comply with the following requirements for Air Quality Standard Permits:
- A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
 - B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
 - C. Applicable requirements of 30 TAC § 116.617 for Pollution Control Projects based on the information contained in the registration application.

Compliance Requirements

13. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
14. Permit holder shall comply with the following 30 TAC Chapter 117 requirements:
 - A. The permit holder shall comply with the compliance schedules and submit written notification to the TCEQ Executive Director as required in 30 TAC Chapter 117, Subchapter H, Division 1:
 - (i) For sources in the Houston-Galveston-Brazoria Nonattainment area, 30 TAC § 117.9020:
 - (1) Title 30 TAC § 117.9020(2)(A), (C), and (D)
 - B. The permit holder shall comply with the Initial Control Plan unit listing requirement in 30 TAC § 117.350(c) and (c)(1).
 - C. The permit holder shall comply with the requirements of 30 TAC § 117.354 for Final Control Plan Procedures for Attainment Demonstration Emission Specifications and 30 TAC § 117.356 for Revision of Final Control Plan.
15. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)(2)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1

- (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)(2)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
- 16. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
 - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122

Permit Location

- 17. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

- 18. A permit shield is granted for the emission units, groups, or processes specified in the attached “Permit Shield.” Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable

requirements or specified potentially applicable state-only requirements listed in the attachment “Permit Shield.” Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary	14
---------------------------	-----------

Applicable Requirements Summary	21
--	-----------

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
FCC-27	Boilers/Steam Generators/Steam Generating Units	N/A	R7ICI1	30 TAC Chapter 117, Subchapter B	No changing attributes.
VSP-9	Boilers/Steam Generators/Steam Generating Units	N/A	R7ICI2	30 TAC Chapter 117, Subchapter B	No changing attributes.
VSP-9	Boilers/Steam Generators/Steam Generating Units	N/A	60DB	40 CFR Part 60, Subpart Db	No changing attributes.
CHB-1	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
CHB-2	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
ENG-1	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
FCC-21	Emission Points/Stationary Vents/Process Vents	N/A	R11112	30 TAC Chapter 111, Visible Emissions	No changing attributes.
FCC-21	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-23	Emission Points/Stationary	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Vents/Process Vents				
FCC-27	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
FCC-51	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-52	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-63	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-64	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-66	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-76	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-80	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
FCC-82	Emission	N/A	63VVVVVV	40 CFR Part 63, Subpart	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Points/Stationary Vents/Process Vents			VVVVVV	
HPC-12B	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-12C	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-18	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-23	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-3	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-47	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-48A	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-48B	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
HPC-52	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-54	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
HPC-55	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
PLU-10	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
PLU-2	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
PLU-3A	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
PLU-4	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
PLU-6	Emission Points/Stationary Vents/Process Vents	N/A	63VVVVVV	40 CFR Part 63, Subpart VVVVVV	No changing attributes.
RDL-5	Emission Points/Stationary	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Vents/Process Vents				
RSC-1	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
RSC-2	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
VSP-9	Emission Points/Stationary Vents/Process Vents	N/A	R11111	30 TAC Chapter 111, Visible Emissions	No changing attributes.
FCC-75	Process Heaters/Furnaces	N/A	R7ICI	30 TAC Chapter 117, Subchapter B	No changing attributes.
HPC-12C	Process Heaters/Furnaces	N/A	R7ICI	30 TAC Chapter 117, Subchapter B	No changing attributes.
UTL-PRT1	Solvent Degreasing Machines	N/A	R5412	30 TAC Chapter 115, Degreasing Processes	No changing attributes.
UTL-PRT2	Solvent Degreasing Machines	N/A	R5412	30 TAC Chapter 115, Degreasing Processes	No changing attributes.
4002-602	Stationary Reciprocating Int.Comb. Engines	N/A	R7ICI3	30 TAC Chapter 117, Subchapter B	No changing attributes.
4002-602	Stationary Reciprocating Int.Comb. Engines	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
4017-501A	Stationary	N/A	R7ICI3	30 TAC Chapter 117,	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Reciprocating Int.Comb. Engines			Subchapter B	
4017-501A	Stationary Reciprocating Int.Comb. Engines	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
4017-501B	Stationary Reciprocating Int.Comb. Engines	N/A	R7ICI3	30 TAC Chapter 117, Subchapter B	No changing attributes.
4017-501B	Stationary Reciprocating Int.Comb. Engines	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
FCC-67	Stationary Reciprocating Int.Comb. Engines	N/A	R7ICI4	30 TAC Chapter 117, Subchapter B	No changing attributes.
FCC-67	Stationary Reciprocating Int.Comb. Engines	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
FCC-79	Stationary Reciprocating Int.Comb. Engines	N/A	R7ICI4	30 TAC Chapter 117, Subchapter B	No changing attributes.
FCC-79	Stationary Reciprocating Int.Comb. Engines	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
HPC-28	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
HPC-42	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115,	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
				Storage of VOCs	
HPC-57	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
HPC-58	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
PLU-8	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
UTL-SUB	Storage Tanks/Vessels	N/A	R5112	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FCC-27	EU	R7ICI1	NO _x	30 TAC Chapter 117, Subchapter B	§ 117.310(d)(3) § 117.310(a) § 117.310(a)(1)(B) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3)	An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
FCC-27	EU	R7ICI1	CO	30 TAC Chapter 117, Subchapter B	§ 117.325(a) § 117.310(c)(1)(B)	Where a person can demonstrate that an affected unit cannot attain the carbon monoxide (CO) specifications of § 117.310(c) of this title the executive director may approve emission specifications different from the CO specifications in § 117.310(c) of this title	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(e) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(7) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						for that unit.	§ 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B)		[G]§ 117.8010(7) [G]§ 117.8010(8)
VSP-9	EU	R7ICI2	NO _x	30 TAC Chapter 117, Subchapter B	§ 117.310(d)(3) § 117.310(a) § 117.310(a)(1)(A) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(3)	An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(c) § 117.335(d) § 117.335(f) § 117.335(f)(2) § 117.335(g) § 117.340(a) § 117.340(b)(1) § 117.340(b)(3) § 117.340(c)(1) [G]§ 117.340(c)(3) [G]§ 117.340(g) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.8100(b) § 117.8100(b)(1) [G]§ 117.8100(b)(1)(A) § 117.8100(b)(1)(B) § 117.8100(b)(2) § 117.8100(b)(3) § 117.8100(b)(3)(A) § 117.8100(b)(3)(B) § 117.8100(b)(4) § 117.8100(b)(4)(A) § 117.8100(b)(4)(A)(i) § 117.8100(b)(4)(A)(i)(I) § 117.8100(b)(4)(A)(i)(II) [G]§ 117.8100(b)(4)(A)(ii) [G]§ 117.8100(b)(4)(B) § 117.8100(b)(4)(C)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) [G]§ 117.345(f)(2) § 117.345(f)(8) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.345(d) § 117.345(d)(3) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8) § 117.8100(c)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 117.8100(b)(4)(C)(i) § 117.8100(b)(4)(C)(ii) § 117.8100(b)(4)(C)(iii) § 117.8100(b)(4)(C)(iii)(I) § 117.8100(b)(4)(C)(iii)(II) § 117.8100(b)(4)(C)(iii)(II)(-a-) § 117.8100(b)(5) § 117.8100(b)(6)		
VSP-9	EU	R7ICI2	CO	30 TAC Chapter 117, Subchapter B	§ 117.325(a)	Where a person can demonstrate that an affected unit cannot attain the carbon monoxide (CO) specifications of § 117.310(c) of this title the executive director may approve emission specifications different from the CO specifications in § 117.310(c) of this title for that unit.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(b)(1) § 117.340(b)(3) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
VSP-9	EU	60DB	SO ₂	40 CFR Part 60, Subpart Db	§ 60.40b(a)	This subpart applies to each steam generating unit constructed, modified, or reconstructed after 6/19/84, and that has a heat input capacity from fuels combusted in the unit > 29 MW (100 MMBtu/hr).	None	[G]§ 60.49b(d) § 60.49b(o)	§ 60.49b(a) § 60.49b(a)(1) § 60.49b(a)(3)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
VSP-9	EU	60DB	PM	40 CFR Part 60, Subpart Db	§ 60.40b(a)	This subpart applies to each steam generating unit constructed, modified, or reconstructed after 6/19/84, and that has a heat input capacity from fuels combusted in the unit > 29 MW (100 MMBtu/hr).	None	[G]§ 60.49b(d) § 60.49b(o)	§ 60.49b(a) § 60.49b(a)(1) § 60.49b(a)(3)
VSP-9	EU	60DB	PM (OPACITY)	40 CFR Part 60, Subpart Db	§ 60.40b(a)	This subpart applies to each steam generating unit constructed, modified, or reconstructed after 6/19/84, and that has a heat input capacity from fuels combusted in the unit > 29 MW (100 MMBtu/hr).	None	[G]§ 60.49b(d) § 60.49b(o)	§ 60.49b(a) § 60.49b(a)(1) § 60.49b(a)(3)
VSP-9	EU	60DB	NO _x	40 CFR Part 60, Subpart Db	§ 60.44b(a)(1)(i) § 60.44b(h) § 60.44b(i) § 60.46b(a)	Except as in §60.44b(k), (l), on/after §60.8 test, no facility combusting natural gas and distillate oil (low heat release rate) shall discharge gases containing NO _x in excess of 43 ng/J heat input.	§ 60.46b(c) § 60.46b(f) § 60.48b(g)(2)	[G]§ 60.49b(c) [G]§ 60.49b(d) [G]§ 60.49b(g) § 60.49b(o)	§ 60.49b(a) § 60.49b(a)(1) § 60.49b(a)(3) § 60.49b(b) [G]§ 60.49b(c) § 60.49b(h) § 60.49b(v) § 60.49b(w)
CHB-1	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						source on which construction was begun after January 31, 1972.			
CHB-2	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
ENG-1	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
FCC-21	EP	R11112	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(C) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	§ 111.111(a)(1)(D) [G]§ 111.111(a)(1)(F)	§ 111.111(a)(1)(C) § 111.111(a)(1)(D)	None
FCC-21	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart	§ 63.11496(b) The permit holder shall	The permit holder shall comply with the	The permit holder shall comply with the applicable monitoring	The permit holder shall comply with	The permit holder shall comply with the

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VVVVVV	comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	applicable requirements of 40 CFR Part 63, Subpart VVVVVV	and testing requirements of 40 CFR Part 63, Subpart VVVVVV	the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-23	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-27	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
FCC-51	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-52	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-63	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-64	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-66	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-76	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-80	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
FCC-82	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-12B	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-12C	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-18	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-23	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-3	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-47	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-48A	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-48B	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-52	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-54	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
HPC-55	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
PLU-10	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
PLU-2	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
PLU-3A	EP	63VVVVVV	112(B)	40 CFR Part 63,	§ 63.11496(b)	The permit holder	The permit holder shall comply	The permit holder	The permit holder

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
			HAPS	Subpart VVVVVV	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
PLU-4	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
PLU-6	EP	63VVVVVV	112(B) HAPS	40 CFR Part 63, Subpart VVVVVV	§ 63.11496(b) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart VVVVVV	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart VVVVVV
RDL-5	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
RSC-1	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
RSC-2	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
VSP-9	EP	R11111	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
FCC-75	EU	R7ICI	NO _x	30 TAC Chapter 117, Subchapter B	§ 117.310(d)(3) § 117.310(a) § 117.310(a)(8)(A)(ii) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3)	An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3)	specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	§ 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d)		§ 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
FCC-75	EU	R7ICI	CO	30 TAC Chapter 117, Subchapter B	§ 117.325(a)	Where a person can demonstrate that an affected unit cannot attain the carbon monoxide (CO) specifications of § 117.310(c) of this title the executive director may approve emission specifications different from the CO specifications in § 117.310(c) of this title for that unit.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
HPC-12C	EU	R7ICI	NO _x	30 TAC Chapter	§ 117.310(d)(3)	An owner or operator	[G]§ 117.335(a)(1)	§ 117.345(a)	§ 117.335(b)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				117, Subchapter B	§ 117.310(a) § 117.310(a)(8)(A)(ii) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3)	may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	§ 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d)	§ 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
HPC-12C	EU	R7ICI	CO	30 TAC Chapter 117, Subchapter B	§ 117.325(a)	Where a person can demonstrate that an affected unit cannot attain the carbon monoxide (CO) specifications of § 117.310(c) of this title the executive director may approve emission specifications different from the CO specifications in § 117.310(c) of this title for that unit.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d)	§ 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B)		[G]§ 117.8010(8)
UTL-PRT1	EU	R5412	VOC	30 TAC Chapter 115, Degreasing Processes	§ 115.412(1) [G]§ 115.412(1)(A) § 115.412(1)(C) § 115.412(1)(D) [G]§ 115.412(1)(F) § 115.417(1)	Cold solvent cleaning. No person shall own or operate a system utilizing a VOC for the cold solvent cleaning of objects without the controls listed in §115.412(1)(A)-(F).	[G]§ 115.415(1) § 115.415(3) ** See Periodic Monitoring Summary	None	None
UTL-PRT2	EU	R5412	VOC	30 TAC Chapter 115, Degreasing Processes	§ 115.412(1) [G]§ 115.412(1)(A) § 115.412(1)(C) § 115.412(1)(D) [G]§ 115.412(1)(F) § 115.417(1)	Cold solvent cleaning. No person shall own or operate a system utilizing a VOC for the cold solvent cleaning of objects without the controls listed in §115.412(1)(A)-(F).	[G]§ 115.415(1) § 115.415(3) ** See Periodic Monitoring Summary	None	None
4002-602	EU	R7ICI3	EXEMPT	30 TAC Chapter 117, Subchapter B	§ 117.303(a)(6)(D) [G]§ 117.310(f)	Units exempted from the provisions of this division, except as specified in §§117.310(f), 117.340(j), 117.345(f)(6) and (10), 117.350(c)(1), and 117.354(a)(5), include stationary gas turbines and stationary internal combustion engines that are used exclusively in emergency situations, except that operation	None	§ 117.340(j) [G]§ 117.345(f)(10) [G]§ 117.345(f)(6)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						for testing or maintenance purposes is allowed for up to 52 hours per year, based on a rolling 12-month average.			
4002-602	EU	63ZZZZ	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ
4017-501A	EU	R7ICI3	EXEMPT	30 TAC Chapter 117, Subchapter B	§ 117.303(a)(6)(D) [G]§ 117.310(f)	Units exempted from the provisions of this division, except as specified in §§117.310(f), 117.340(j), 117.345(f)(6) and (10), 117.350(c)(1), and 117.354(a)(5), include stationary gas turbines and stationary internal combustion engines that are used exclusively in emergency situations, except that operation for testing or maintenance purposes is allowed for up to 52 hours per year, based on a rolling 12-month	None	§ 117.340(j) [G]§ 117.345(f)(10) [G]§ 117.345(f)(6)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						average.			
4017-501A	EU	63ZZZZ	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ
4017-501B	EU	R7ICI3	EXEMPT	30 TAC Chapter 117, Subchapter B	§ 117.303(a)(6)(D) [G]§ 117.310(f)	Units exempted from the provisions of this division, except as specified in §§117.310(f), 117.340(j), 117.345(f)(6) and (10), 117.350(c)(1), and 117.354(a)(5), include stationary gas turbines and stationary internal combustion engines that are used exclusively in emergency situations, except that operation for testing or maintenance purposes is allowed for up to 52 hours per year, based on a rolling 12-month average.	None	§ 117.340(j) [G]§ 117.345(f)(10) [G]§ 117.345(f)(6)	None
4017-501B	EU	63ZZZZ	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation,	The permit holder shall comply with the applicable requirements of 40	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping	The permit holder shall comply with the applicable reporting requirements of 40

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	CFR Part 63, Subpart ZZZZ		requirements of 40 CFR Part 63, Subpart ZZZZ	CFR Part 63, Subpart ZZZZ
FCC-67	EU	R7IC14	NO _x	30 TAC Chapter 117, Subchapter B	§ 117.310(d)(3) § 117.310(a) § 117.310(a)(9)(E)(v)(II) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) [G]§ 117.310(f) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3)	An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a)(2)(C) § 117.340(h) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.345(f)(3)(A) § 117.345(f)(3)(A)(ii) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8140(a) § 117.8140(a)(1) § 117.8140(a)(2) § 117.8140(a)(2)(A) [G]§ 117.8140(a)(2)(B) § 117.8140(b)	§ 117.345(a) § 117.345(f) [G]§ 117.345(f)(10) § 117.345(f)(3) § 117.345(f)(3)(B) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
FCC-67	EU	R7IC14	CO	30 TAC Chapter 117, Subchapter B	§ 117.310(c)(1) § 117.310(c)(1)(B)	CO emissions must not exceed 3.0 g/hp-hr for stationary internal combustion engines.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e)	§ 117.345(a) § 117.345(f) [G]§ 117.345(f)(10) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 117.335(g) § 117.340(a)(2)(C) § 117.340(h) § 117.345(f)(3) § 117.345(f)(3)(A) § 117.345(f)(3)(A)(ii) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B) § 117.8140(a) § 117.8140(a)(1) § 117.8140(a)(2) § 117.8140(a)(2)(A) [G]§ 117.8140(a)(2)(B) § 117.8140(b)		[G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
FCC-67	EU	63ZZZZ	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ
FCC-79	EU	R7ICl4	NO _x	30 TAC Chapter 117, Subchapter B	§ 117.310(d)(3) § 117.310(a) § 117.310(a)(9)(E)(v)(II) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3)	An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a)(2)(C)	§ 117.345(a) § 117.345(f) [G]§ 117.345(f)(10) § 117.345(f)(3) § 117.345(f)(3)(B) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 117.310(e)(4) [G]§ 117.310(f) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3)	specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320.	§ 117.340(h) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.345(f)(3)(A) § 117.345(f)(3)(A)(ii) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8140(a) § 117.8140(a)(1) § 117.8140(a)(2) § 117.8140(a)(2)(A) [G]§ 117.8140(a)(2)(B) § 117.8140(b)		§ 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)
FCC-79	EU	R7IC14	CO	30 TAC Chapter 117, Subchapter B	§ 117.310(c)(1) § 117.310(c)(1)(B)	CO emissions must not exceed 3.0 g/hp-hr for stationary internal combustion engines.	[G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a)(2)(C) § 117.340(h) § 117.345(f)(3) § 117.345(f)(3)(A) § 117.345(f)(3)(A)(ii) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6)	§ 117.345(a) § 117.345(f) [G]§ 117.345(f)(10) § 117.345(f)(9)	§ 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B) § 117.8140(a) § 117.8140(a)(1) § 117.8140(a)(2) § 117.8140(a)(2)(A) [G]§ 117.8140(a)(2)(B) § 117.8140(b)		
FCC-79	EU	63ZZZZ	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ
HPC-28	EU	R5112	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
HPC-42	EU	R5112	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
HPC-57	EU	R5112	VOC	30 TAC Chapter	§ 115.111(a)(1)	Except as provided in	[G]§ 115.117	§ 115.118(a)(1)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				115, Storage of VOCs		§ 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(5) § 115.118(a)(7)	
HPC-58	EU	R5112	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
PLU-8	EU	R5112	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
UTL-SUB	EU	R5112	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Additional Monitoring Requirements

Periodic Monitoring Summary..... 45

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: CHB-1	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: CHB-2	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: ENG-1	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: FCC-27	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: RDL-5	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: RSC-1	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: RSC-2	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: UTL-PRT1	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Degreasing Processes	SOP Index No.: R5412
Pollutant: VOC	Main Standard: § 115.412(1)
Monitoring Information	
Indicator: Visual Inspection	
Minimum Frequency: Monthly	
Averaging Period: n/a	
Deviation Limit: It is a deviation if any monitoring data indicates that the cold cleaner is not in compliance with the applicable requirements of 30 TAC 115.412(1)(A)-(F).	
Periodic Monitoring Text: Inspect equipment and record data monthly to ensure compliance with any applicable requirements in § 115.412(1)(A)-(F). Any monitoring data which indicates that the cold cleaner is not in compliance with the applicable requirements of § 115.412(1)(A)-(F) shall be considered and reported as a deviation.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: UTL-PRT2	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Degreasing Processes	SOP Index No.: R5412
Pollutant: VOC	Main Standard: § 115.412(1)
Monitoring Information	
Indicator: Visual Inspection	
Minimum Frequency: Monthly	
Averaging Period: n/a	
Deviation Limit: It is a deviation if any monitoring data indicates that the cold cleaner is not in compliance with the applicable requirements of 30 TAC 115.412(1)(A)-(F).	
Periodic Monitoring Text: Inspect equipment and record data monthly to ensure compliance with any applicable requirements in § 115.412(1)(A)-(F). Any monitoring data which indicates that the cold cleaner is not in compliance with the applicable requirements of § 115.412(1)(A)-(F) shall be considered and reported as a deviation.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: VSP-9	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R11111
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Visible Emissions	
Minimum Frequency: once per calendar quarter	
Averaging Period: n/a	
Deviation Limit: It is a deviation if opacity is greater than 20%.	
<p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p>	

Permit Shield

Permit Shield56

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
CHB-1	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.
CHB-1	N/A	40 CFR Part 60, Subpart Db	Boiler heat input capacity is less than 100 MM BTU/hr.
CHB-1	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input capacity is less than 10 MM BTU/hr.
CHB-2	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.
CHB-2	N/A	40 CFR Part 60, Subpart Db	Boiler heat input capacity is less than 100 MM BTU/hr.
CHB-2	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input capacity is less than 10 MM BTU/hr.
ENG-1	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.
ENG-1	N/A	40 CFR Part 60, Subpart Db	Boiler heat input capacity is less than 100 MM BTU/hr.
ENG-1	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input capacity is less than 10 MM BTU/hr.
FCC-27	N/A	40 CFR Part 60, Subpart D	Boiler heat input rate is less than 250 MM BTU/hr

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
FCC-27	N/A	40 CFR Part 60, Subpart Db	Boiler heat input is less than 100 MM BTU/hr
FCC-27	N/A	40 CFR Part 60, Subpart Dc	Construction prior to June 9, 1989
FCC-27	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
RDL-5	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.
RDL-5	N/A	40 CFR Part 60, Subpart D	Boiler heat input rate is less than 250 MM BTU/hr.
RDL-5	N/A	40 CFR Part 60, Subpart Db	Boiler heat input is less than 100 MM BTU/hr.
RDL-5	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input is less than 10 MM BTU/h.
RSC-1	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.
RSC-1	N/A	40 CFR Part 60, Subpart Db	Boiler heat input capacity is less than 100 MM BTU/hr.
RSC-1	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input capacity is less than 10 MM BTU/hr.
RSC-2	N/A	30 TAC Chapter 117, Subchapter B	Boiler has a maximum rated capacity less than 2 MMBtu/hr.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
RSC-2	N/A	40 CFR Part 60, Subpart Db	Boiler heat input capacity is less than 100 MM BTU/hr.
RSC-2	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input capacity is less than 10 MM BTU/hr.
VSP-9	N/A	40 CFR Part 60, Subpart D	Boiler heat input rate is less than 250 MM BTU/hr
VSP-9	N/A	40 CFR Part 60, Subpart Dc	Boiler heat input is greater than 100 MM BTU/hr
FCC-10	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-12	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-12A	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
PLU-3B	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
H-1931	N/A	40 CFR Part 63, Subpart Q	The cooling tower is not a major source of HAPs.
PLU-11	N/A	40 CFR Part 63, Subpart Q	The cooling tower is not a major source of HAPs.
FCC-16	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-19	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-20	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
FCC-3A	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-40	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-53	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-54	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-55	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-57	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-58	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-61	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-62	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-65	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-68	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-69	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-70	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-71	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-77	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-78	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
FCC-81	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
FCC-9A	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-17	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-32	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-33	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-34	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-35	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
HPC-36	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
PLU-7	N/A	40 CFR Part 63, Subpart VVVVVV	The unit does not emit any Table 1 HAP.
PLU-FUG	N/A	40 CFR Part 60, Subpart VV	The facility does not produce any of the chemicals listed in § 60.489, so it is not in the synthetic organic chemicals manufacturing industry.
HPC-28	N/A	40 CFR Part 60, Subpart Kb	Vessel has a design capacity less than 75 cubic meters.
HPC-42	N/A	40 CFR Part 60, Subpart Kb	Storage tank capacity is less than 40m3
HPC-57	N/A	40 CFR Part 60, Subpart Kb	Storage tank has a design capacity less than 75 cubic meters.
HPC-58	N/A	40 CFR Part 60, Subpart Kb	Storage tank has a design capacity less than 75 cubic meters.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
PLU-8	N/A	40 CFR Part 60, Subpart Kb	Storage tank has a design capacity less than 75 cubic meters.
UTL-DSL	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank capacity is less than 1,000 gallons.
UTL-GAS	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank capacity is less than 1,000 gallons.
UTL-MERC1	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank capacity is less than 1,000 gallons.
UTL-MERC2	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank capacity is less than 1,000 gallons.
UTL-SUB	N/A	40 CFR Part 60, Subpart Kb	Storage tank has a design capacity less than 75 cubic meters.

New Source Review Authorization References

New Source Review Authorization References 63

New Source Review Authorization References by Emission Unit..... 65

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Nonattainment (NA) Permits	
NA Permit No.: No22	Issuance Date: 02/27/2014
Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 106291	Issuance Date: 11/12/2012
Authorization No.: 21995	Issuance Date: 03/13/2012
Authorization No.: 2487	Issuance Date: 03/13/2013
Authorization No.: 76621	Issuance Date: 10/13/2010
Authorization No.: 84228	Issuance Date: 03/19/2008
Authorization No.: 9402	Issuance Date: 02/27/2014
Authorization No.: 9626	Issuance Date: 01/18/2011
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.122	Version No./Date: 09/04/2000
Number: 106.227	Version No./Date: 03/14/1997
Number: 106.261	Version No./Date: 12/24/1998
Number: 106.261	Version No./Date: 11/01/2003
Number: 106.262	Version No./Date: 09/04/2000
Number: 106.262	Version No./Date: 11/01/2003
Number: 106.371	Version No./Date: 03/14/1997
Number: 106.433	Version No./Date: 03/14/1997
Number: 106.454	Version No./Date: 07/08/1998
Number: 106.472	Version No./Date: 09/04/2000
Number: 106.473	Version No./Date: 03/14/1997
Number: 106.511	Version No./Date: 03/14/1997
Number: 106.512	Version No./Date: 03/14/1997
Number: 5	Version No./Date: 04/05/1995
Number: 7	Version No./Date: 09/12/1989
Number: 38	Version No./Date: 05/05/1976

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Number: 75	Version No./Date: 11/25/1985
Number: 101	Version No./Date: 11/25/1985
Number: 103	Version No./Date: 11/25/1985

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
4002-602	EMERGENCY GENERATOR	106.512/03/14/1997
4017-501A	SUBSTATION GENERATOR	106.512/03/14/1997
4017-501B	SUBSTATION GENERATOR	106.512/03/14/1997
CHB-1	CHANGE HOUSE BOILER #1	7/09/12/1989
CHB-2	CHANGE HOUSE BOILER #2	7/09/12/1989
ENG-1	ENGINEERING BUILDING BOILER	7/09/12/1989
FCC-10	2ND MOLSIEVE FLASH DRYER	9402, N022
FCC-12	2ND MOLSEIVE CALCINER	9402, N022
FCC-16	PORTACLAY/RESLURRY VENT BAG FILTER	9402, N022
FCC-19	KAOLIN DOSING BAG HOPPER	9402, N022
FCC-20	C ALUMINA STORAGE SILO BAG FILTER	9402, N022
FCC-21	SPRAY DRYER	9402, N022
FCC-23	SEPARATOR FINES BAG FILTER	9402, N022
FCC-27	BOILER	9402, N022
FCC-3A	FEED HOPPER BAG FILTER	9402, N022
FCC-40	KAOLIN UNLOADING BAG FILTER	9402, N022
FCC-51	CRUDE PRODUCT BAG FILTER	9402, N022
FCC-52	CRUDE PRODUCT BAG FILTER	9402, N022

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
FCC-53	CRUDE PRODUCT BAG FILTER	9402, N022
FCC-54	CRUDE PRODUCT BAG FILTER	9402, N022
FCC-55	VENTILATION AIR BAG FILTER	9402, N022
FCC-57	PRODUCT TRANSPORT BAG FILTER	9402, N022
FCC-58	PRODUCT DIST. CONVEYOR BAG FILTER	9402, N022
FCC-61	PRODUCT AIR SLIDE BAG FILTER	9402, N022
FCC-62	PRODUCT AIR SLIDE BAG FILTER	9402, N022
FCC-63	WEIGH SCALE BAG FILTER	9402, N022
FCC-64	BLENDED PRODUCT BAG FILTER	9402, N022
FCC-65	BULK LOADING STATION BAG FILTER	9402, N022
FCC-66	PORTABLE BAG FILTER	9402, N022
FCC-67	DIESEL ENGINE	9402, N022
FCC-68	KAOLIN SILO BAG FILTER	9402, N022
FCC-69	C ALUMINA DOSING BAG FILTER	9402, N022
FCC-70	BOC SILO BAG FILTER	9402, N022
FCC-71	BOC DOSING BAG FILTER	9402, N022
FCC-75	SCR UNIT	9402, N022
FCC-76	PRODUCT AIR SLIDE BAG FILTER	9402, N022

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
FCC-77	FC BOC STORAGE SILO BAG FILTER	9402, No22
FCC-78	FC BOC DOSING HOPPER BAG FILTER	9402, No22
FCC-79	DIESEL ENGINE	9402, No22
FCC-80	PORTABLE BAG FILTER II	9402, No22
FCC-81	TOTE BIN BAG FILTER	9402, No22
FCC-82	PORTABLE BAG FILTER	9402, No22
FCC-9A	FINAL PRODUCT BAG FILTER	9402, No22
H-1931	COOLING TOWER	106.371/03/14/1997
HPC-12A	SPRAY DRYER	2487
HPC-12B	NOX SCRUBBER	2487
HPC-12C	SCR HEATER	2487
HPC-17	HEPA FILTER FOR MOLOX BIN	2487
HPC-18	DUST CONVEYOR BAG FILTER	2487
HPC-23	BELT DRYER	2487
HPC-28	SODIUM GLUCONATE TANK	2487
HPC-32	BASE BIN A BAG FILTER	2487
HPC-33	BASE BIN B BAG FILTER	2487
HPC-34	BASE BIN C BAG FILTER	2487

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
HPC-35	DUST BIN A BAG FILTER	2487
HPC-36	DUST BIN B BAG FILTER	2487
HPC-3	BOC SILO BAG FILTER	2487
HPC-42	CITRIC ACID TANK	2487
HPC-47	HEPA FOR SOLUTION REACTOR	2487
HPC-48A	FINAL PRODUCT LOADOUT BAG FILTER	2487
HPC-48B	FINAL PRODUCT LOADOUT BAG FILTER MAINTENANCE	2487
HPC-52	EXTRUDER FEED HOPPER BAG FILTER	2487
HPC-54	3RD IMPREG. DRYER BAG FILTER	2487
HPC-55	3RD IMPREG. AREA VENT BAG FILTER	2487
HPC-57	PEG STORAGE TANK	2487
HPC-58	DEG STORAGE TANK	2487
PLU-10	METAL SOLS HEPA FILTER	76621
PLU-11	COOLING TOWER	76621
PLU-2	DUST SILO BAG/HEPA FILTER	76621
PLU-3A	CALCINER	76621
PLU-3B	CALCINER	76621
PLU-4	DRYER	76621

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
PLU-6	HEPA FILTER	76621
PLU-7	HEPA FILTER	76621
PLU-8	ACETIC ACID TANK	76621
PLU-FUG	FUGITIVES	76621
RDL-5	BOILER	9626
RSC-1	RESEARCH BOILER #1	7/09/12/1989
RSC-2	RESEARCH BOILER #2	7/09/12/1989
UTL-DSL	FORKLIFT DIESEL TANK	106.473/03/14/1997
UTL-GAS	FORKLIFT GASOLINE TANK	106.473/03/14/1997
UTL-MERC1	METHYL MERCAPTAN TANK 1	106.473/03/14/1997
UTL-MERC2	METHYL MERCAPTAN TANK 2	106.473/03/14/1997
UTL-PRT1	CENTRAL SHOP PARTS CLEANER	106.454/07/08/1998
UTL-PRT2	SATELLITE SHOP PARTS CLEANER	106.454/07/08/1998
UTL-SUB	SUBSTATION DIESEL TANK	106.473/03/14/1997
VSP-9	BOILER	21995

Appendix A

Acronym List71

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ELP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF	grandfathered
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MMBtu/hr	Million British thermal units per hour
MRRT	monitoring, recordkeeping, reporting, and testing
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PM	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
RO	Responsible Official
SO ₂	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound

Appendix B

Major NSR Summary Table 73